


Load Class
up to F900
EN-1433 Standard

F300K



ULMA Linear Drainage Channel type F300K: External width 362 mm; Internal width 300 mm; Available with overall heights between 300 mm and 750 mm. Suitable for cascaded type slope to collect rainwater in 1 metre long units. Safe locking system consists of eight bolts per LM; Integrated galvanised steel edges for lateral protection.




CHANNELS

Code Channel	L mm	H mm	Width mm		Ø Outlet* mm		Hydraul. Section cm ²	Pcs. pallet	Weight Kg	Qref l/s
			Ext.	Int.	Vert.	Hor.				
F300K00R	1000	300	362	300	250	-	710	15	54,3	46,44
F300K00R	1000	390	362	300	200	-	975	9	62,0	77,50
F300K10R	1000	440	362	300	200	-	1110	9	70,4	94,20
F300K20R	1000	490	362	300	200	-	1240	9	75,9	113,89
F300K60R	1000	600	362	300	-	-	1525	9	96,1	163,86
F300K75R	1000	750	394	300	-	-	1933	4	112,0	230,23


* Vert. outlets on order.

GRATINGS



Material	Design	Load	Code	L mm	Width mm	Opening mm	Weight Kg	Intake area cm ² /ml
DUCTILE IRON	SLOTTED	C250	FNX300FTCM	500	351	17,75	13,2	1351
	SLOTTED	D400	FNX300FTDM	500	351	13,75	17,8	1340
	SLOTTED	F900	FNX300FTFM	500	351	14	27,1	1371
	CLOSED	D400	FC300FTDM	500	351	-	16,3	-
	CLOSED	F900	FC300FTFM	500	351	-	29,4	-
GALVANISED STEEL	SINGLE SLOT	D400	GRL300FOD	1000	351	18 / H150	26,0	180

HOW TO FIX



Code	Units ml
TF1023 + TP	8 + 8
TF1023 + TP	8 + 8
TF1023 + TP	8 + 8
TF1023 + TP	8 + 8
TF1023 + TP	8 + 8
(1)	(1)

(1) Click. Without screws.

SUMP UNITS

Code	L mm	H mm	Width mm	Lateral outlets Ø mm	Front outlet Ø mm	Sump units	Weight Kg
AF300 *	500	390	362	200	-	1	42,8
AF300S + A300B **	500	730**	362	200	-	2	71,0
F300K60RS + UNIS60**	1000	1148**	362	200/400	200	2	120,2
F300K75RS + UNIS60**	1000	1298**	362	200/400	200	2	136,5

* Available up to 390 mm height. (F300K00R)
** The sump unit can be higher incorporating an intermediate unit.


BUCKET

Code**
C250

** Only applicable if 2 sump units are installed.


OPEN END CAP

Channel	Code	Ø mm
F300K00R	T300K00A	315
F300K00R	T300K00A	315
F300K10R	T300K10A	315
F300K20R	T300K20A	315
F300K60R	T300K60A	315



CLOSED END CAP

Code
T300K00C
T300K00C
T300K10C
T300K20C
T300K60C




STEP UNITS

Code
CE300




To install in the changes of height with cascaded slope.

SLOPE DESIGNS



WITHOUT SLOPE



CASCADED SLOPE