



Load Class
up to E600
EN-1433 Standard

KOMPAQ150 INDUSTRY CE

Linear Drainage Channel model **ULMA KompaqDrain® Industry KVE150**, with an integral grating, presented in one-piece and manufactured by high resistant Polymer Concrete. Vandal – proof and corrosion resistant. Load class up to E-600 with surface design without protuberances to avoid vibrations in crossing vehicles, 30 x 25 mm uptake holes. With "V" optimized shaped and capture holes with MAX-FLOW® geometry: self-cleaning effect at a low flow, increase at maximum flow and positive opening in order to avoid dirt blockage, for areas without slope. Active surface for cutting of water sheet and for its driving to uptake holes. Male and female horizontal and vertical alignment and perimeter preformed groove to facilitate joint sealing in 360°.

The access unit and the sump unit include: cast iron grating FN150FTEM, lateral preforms for horizontal outlets on each side and lateral preforms for connections in T, L and in cross.



CHANNELS

Channel code	L mm	Height mm	Channel width mm		Weight Kg	Hydraul. Section cm²	Pcs. x pallet	Intake area cm²/ml
			External	Internal				
KVE150.10R	1000	280	206	150	59	227	12	360
KVE150.20R	1000	380	206	150	69	377	12	360
KVE150.30R	1000	480	206	150	80	527	8	360

ACCESS UNIT

Channel code	L mm	Height mm	Channel width mm		Lateral Outlet mm	Vertical Outlet mm	T and + channel connection	Weight Kg	Hydraul. Section cm²	Pcs. x pallet	Intake area cm²/ml
			Ext.	Int.							
AKVE150MF10R	1000	280	206	150	160 160	160	Yes	59	227	12	529
AKVE150MF20R	1000	380	206	150	200 200	160	Yes	70	377	12	529
AKVE150MF30R	1000	480	206	150	315 315	160	Yes	80	527	8	529

* Standard cast iron edges, galvanised and stainless steel edges available.



SUMP UNITS

Sump Unit Code	L mm	Height mm	Width mm		Frontal Outlet mm	Lateral Outlet mm	Weight Kg	Hydraul. Section cm²	Pcs. x pallet	Galva. steel bucket	Intake area cm²/ml
			Ext.	Int.							
AKVE150MF10RS	1000	280	206	150	-	160 160	56	227	12	-	529
AKVE150MF20RS	1000	380	206	150	-	200 200	67	377	12	-	529
AKVE150MF30RS	1000	480	206	150	-	315 315	77	527	8	-	529
AKVF150I	500	380	206	150	160	200 315	30	-	16	CKV150	-
AKVF150B	500	380	206	150	160	200 315	33	-	16	CKV150	-

** The Sump unit can be higher incorporating an intermediate unit of 380 mm. AKVF150I

*** More info about sump units and registers on page 151




END CAPS



Channel	Code	Ø mm
KVE150.10R	TKVE150.10RC	-
	TKVE150.10RAJ	110
KVE150.20R	TKVE150.20RC	-
	TKVE150.20RAJ	110
KVE150.30R	TKVE150.30RC	-
	TKVE150.30RAJ	110

CONNECTORS



Channel	Code
KVE150.10R	TCKVE150.10RFFA
	TCKVE150.10RMMA
KVE150.20R	TCKVE150.20RFFA
	TCKVE150.20RMMA
KVE150.30R	TCKVE150.30RFFA
	TCKVE150.30RMMA

BUCKET



Code
CKV150

STEP UNIT



Code
CEKV150

To install in the changes of height with cascaded slope.

SLOPE DESIGNS

